



X600 Passenger Door Harness to Body Harness**Connector Part Information**

- Harness Type: Passenger Door
- OEM Connector: 13600509
- Service Connector: Service by Harness - See Part Catalog
- Description: 41-Way F 4.8 TIMER/DSQ 1.5 Series

**Connector Part Information**

- Harness Type: Body
- OEM Connector: 13946876
- Service Connector: 13587760
- Description: 41-Way M 1.5, 2.8 Series (GY)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	Not Available	J-35616-42 (RD)	J-38125-36	927837-1	25	A	D
II	Not Available	J-35616-14 (GN)	J-38125-560	962943-5	16	E	A
III	Not Available	J-35616-14 (GN)	J-38125-560	962943-5	16	Not Available	Not Available
IV	Not Available	J-35616-42 (RD)	J-38125-36	Not Available	Not Available	Not Available	Not Available
V	Not Available	J-35616-14 (GN)	J-38125-560	964265-2	28	E	C
VI	Not Available	J-35616-14 (GN)	J-38125-560	964265-2	28	E	2
VII	Not Available	J-35616-3 (GY)	J-38125-560	Not Available	Not Available	2	4
VIII	Not Available	J-35616-14 (GN)	J-38125-560	964265-2	28	C	A

X600 Passenger Door Harness to Body Harness

Pin	Size	Color	Circuit	Terminal Type ID	Option	Function	Pin	Size	Color	Circuit	Terminal Type ID	Option
1	2.5	RD/WH	1340	I	-	Battery Positive Voltage	1	2.5	RD/WH	1340	IV	-
2	2.5	BK	1250	I	-	Ground	2	2.5	BK	1250	IV	-
3	0.5	GY/L-GN	5996	II	-	Driver Outside Rear View Mirror Puddle Lamp Supply Voltage	3	0.5	GY/L-GN	5996	VI	-
4	0.35 0.5	WH WH	3398 3398	III	-	Co-Driver Mirror Motor Common Control Co-Driver Mirror Motor Common Control	4	0.35	WH	3398	VI	-

© 2014 General Motors. All rights reserved.

Pin	Size	Color	Circuit	Terminal Type ID	Option	Function	Pin	Size	Color	Circuit	Terminal Type ID	Option
5-6	-	-	-	-	-	Not Occupied	5-6	-	-	-	-	-
7	0.5	WH/L-GN	3412	II	-	Driver Mirror Motor Fold In Control	7	0.5	WH/L-GN	3412	VI	-
8	0.5	GY/WH	3411	II	-	Driver Mirror Motor Fold Out Control	8	0.5	GY/WH	3411	VI	-
9	0.5	WH/VT	1430	II	-	Exterior Courtesy Lamp Supply Voltage	9	0.5	WH/VT	1430	VI	-
10	1	YE/BK	117	II	-	Right Front Speaker Signal (-) (1)	10	0.75 1	YE/BK YE/BK	117 117	V	-
11	0.5	GY/BN	309	II	-	Right Park Lamp Supply Voltage	11	0.5	GY/BN	309	VI	-
12	0.35	GY	746	III	-	Right Front Door Ajar Switch Signal	12	0.35	GY	746	VI	-
13	-	-	-	-	-	Not Occupied	13	-	-	-	-	-
14	0.5	BN/OG	2134	II	-	Right Front Side Impact Sensing Module Signal	14	0.35	BN/OG	2134	VI	-
15	0.5	BK/OG	6629	II	-	Right Front Side Impact Sensing Module Low Reference	15	0.35	BK/OG	6629	VI	-
16	-	-	-	-	-	Not Occupied	16	-	-	-	-	-
17	0.35	BN/VT	245	III	-	Passenger Door Lock Switch Unlock Control	17	0.35	BN/VT	245	VI	-
18	0.35	YE/BK	244	III	-	Passenger Door Lock Switch Lock Control	18	0.35	YE/VT	244	VI	-
19	0.75	BN/YE	294	II	-	Door Lock Actuator Unlock Control	19	0.75	BN/YE	294	V	-
20	0.75	GY	295	II	-	Door Lock Actuator Lock Control	20	0.75	GY	295	V	-
21	0.5	BK/D-BU	61	II	-	Outside Ambient Temperature Sensor Low Reference	21	0.35	BK/D-BU	61	VI	-
22	-	-	-	-	-	Not Occupied	22	-	-	-	-	-
23	1	YE	200	II	-	Right Front Speaker (+) (1)	23	0.75 1	YE YE	200 200	V	-
24	0.5	D-BU/GY	636	II	-	Outside Ambient Air Temperature Sensor Signal	24	0.35	D-BU/GY	636	VI	-
25-28	-	-	-	-	-	Not Occupied	25-28	-	-	-	-	-
29	0.35	YE	6817	III	-	LED Backlight Dimming Control	29	0.5	YE	6817	VI	-
30	0.35	WH/YE	7557	III	-	LED Ambient Lighting Control 1	30	0.35	WH/YE	7557	VI	-
31	0.5	BN/OG	2267	II	-	Mirror Heating Element Supply Voltage	31	0.5	BN/YE	2267	VI	-
32	-	-	-	-	-	Not Occupied	32	-	-	-	-	-
33	0.5	L-GN/YE	6134	II	-	Linear Interconnect Network Bus 3	33	0.5	L-GN/YE	6134	VI	-
34	0.5	L-GN/WH	7530	II	-	Linear Interconnect Network Bus 8	34	0.5	L-GN/WH	7530	VI	-
35	-	-	-	-	-	Not Occupied	35	-	-	-	-	-

Pin	Size	Color	Circuit	Terminal Type ID	Option	Function	Pin	Size	Color	Circuit	Terminal Type ID	Option
36	0.35 0.5	L- GN/BK L- GN/BK	3396 3396	III	-	Co-Driver Mirror Motor Right (+) Left (-) Control Co-Driver Mirror Motor Right (+) Left (-) Control	36	0.35	L- GN/BK	3396	VI	-
37	-	-	-	-	-	Not Occupied	37	-	-	-	-	-
38	0.35 0.5	YE/VT YE/VT	3397 3397	III	-	Co-Driver Mirror Motor Up (+) Down (-) Control Co-Driver Mirror Motor Up (+) Down (-) Control	38	0.35	YE/VT	3397	VI	-
39- 40	-	-	-	-	-	Not Occupied	39- 40	-	-	-	-	-
41	0.5	L- GN/VT	1315	II	-	Right Front Turn Signal Lamp Supply Voltage	41	0.75	L- GN/VT	1315	V	-